ROCKPORT

COMMERCIAL VEHICLES



CARGOPORT | WORKPORT | ROCKPORT | PARCELPORT

FORD TRANSIT PRODUCTS



ROCKPORT CARGOPORT



LOWEST FLOOR HEIGHT IN THE INDUSTRY

The Cargoport focuses on a flexible, well-constructed box with the lowest entry height, multiple side and rear door configurations, and optional shelving and cargo control packages.





USABLE LENGTH 10' - 18'





FULL WIDTH ROLL UP



PACKAGE DELIVERY

- Side Entry Door (Sliding, Swing)
- Rocktop (Walkthrough Wind Fairing)
- Swing Rear Doors
- Shelving or E-Track
- Various Rear Bumper Options
- Back Up Camera & Back Up Sonar (Regular, 360)





								_		
BODY SIZE	10' SRW	12' SRW	14' SRW	15' SRW	10' DRW	12' DRW	14' DRW	15' DRW	16' DRW	17' DRW
Interior Height	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″
A. Wheel Base	138"	138"	156"	156"	138"	138" OR 156"	156"	156"	178"	178″
B. Body Height	112"	112"	112"	112"	112"	112"	112"	112"	112"	112"
C. Truck Length	20′	22′	24′	25′	20′	22′	24′	25′	26′	27"
D. Overall Body Length	11′	13′	15′	16′	11′	13′	15′	16′	17′	18′
E. True Body Length	10′	12′	14′	15′	10′	12′	14′	15′	15′	17′
F. Body Width	80″	80"	80″	80"	90″	90"	90″	90″	90"	90″
G. Load Width	78.5"	78.5"	78.5"	78.5"	88.5"	88.5"	88.5"	88.5"	88.5"	88.5"
H. Door Opening Width	71"	71″	71″	71"	81.25"	81.25"	81.25"	81.25"	81.25"	81.25"
I. Door Opening Height	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"
J. Ground to Bumper	17.25"	17.25"	17.25"	17.25"	17.25"	17.25"	17.25"	17.25"	17.25"	17.25"
K. Ground to Floor	31.5"	31.5"	31.5"	31.5"	31.5"	31.5"	31.5"	31.5"	31.5"	31.5"
L. Bumper to Floor	14.25"	14.25"	14.25"	14.25"	14.25"	14.25"	14.25"	14.25"	14.25"	14.25"
M. Front Usable Space	59.25"	59.25"	76.75"	76.75"	58.25"	58.25" / 75.75"	75.25"	75.25"	97.75"	97.75"
N. Rear Usable Space	28.75"	52.75"	59"	71"	27.75"	51.75" / 34.25"	58.25"	71"	60.5"	60.5"



WHY CARGOPORT?

- Value Focused: Offering quality and productivity at a competitive investment.
- **2** Efficiency: Fiberglass cab roof wind fairing allows for maximum cab height for allowing passthrough from cab to cargo area.
- 3 Clean Exterior: One piece smooth sidewalls provides maximum surface area and ease of installing graphics.
- Low Step-In Height: Reduces fatigue and injuries.

- **5** Customizable: Multiple cargo control, safety, and productivity options available turn-key.
- **Flexible:** Available with multiple side and rear door configurations to best match your needs.
- Replacement Parts: Factory parts readily available to reduce down time.



- Value: Quality design and workmanship delivered timely.
- **Plexibility:** Body compatible with most cab and cutaway chassis manufacturers.
- **3** Customizable: Available with multiple safety, storage, lighting, and productivity options.
- Work Ready: Available from factory with optional exterior compartment shelving, bin storage, and drawer packages.
- **Foof Access:** Roof storage and access options available.

- **Towing:** Multiple rear bumper and hitch options available to suit your towing needs.
- Convenient Accessibility:
 Optional key fob activated
 master locking system
 available for all exterior body
 doors.
- Replacement Parts: Factory parts readily available to minimize down time.

ROCKPORT WORKPORT



ENCLOSED SERVICE BODY; RUGGED INSIDE AND OUT

Your mobile workshop with stand-up interior height, heavy-duty door hinges, integrated rear access ladders, and exterior compartments. Customize it to fit your needs, with optional compartment power locks to secure your equipment at the push of a button.





10' - 12'




70/30 SWING DOORS



EQUIPMENT STORAGE


- Rocktop (Walkthrough Wind Fairing)
- Exterior Work Lights
- Strobe Lights
- Interior Adjustable Shelving
- · Class III or IV Hitch
- Full Exterior Door Power Locks
- Back Up Camera & Back Up Sonar (Regular, 360)





10-FT

BODY SIZE	10' SRW	12' SRW	10' DRW	12' DRW
Interior Height	6′ 6″	6′ 6″	6′ 6″	6′ 6″
A. Wheel Base	138"	138"	138"	138" Or 158"
B. Body Height	119"	119"	119"	119"
C. Truck Length	20′	22′	20′	22′
D. Overall Body Length	11′	13′	11′	13′
E. True Body Length	10′	12′	10′	12′
F. Body Width	80"	80"	90″	90″
G. Compartment Height	42.5"	42.5"	42.5"	42.5"
H. Compartment Depth	12.125"	12.125"	20.625"	20.625"
I. Door Opening Width	47.5"	47.5"	47.5"	47.5"
J. Door Opening Height	72.5″	72.5"	72.5"	72.5″
K. Ground to Bumper	16.44"	16.44"	16.44"	16.44"
L. Ground to Floor	29.56"	29.56"	29.56"	29.56"
M. Bumper to Floor	13.12"	13.12"	13.12"	13.12"





ROCKPORT ROCKPORT



QUALITY OPTIONS COME STANDARD

Every Rockport body is engineered with industry-leading innovations, raising the bar with features like Aluminum or FRP construction, Aluminum or Translucent roofing, and a range of durable flooring options — including Laminated Hardwood, Extruded Aluminum, Marine-Grade Plywood, and Steel or Aluminum Treadplate overlays.





USABLE LENGTH 9' 10" - 16' 10"





FULL WIDTH ROLL UP



FREIGHT DELIVERY

- Rocktop (Walkthrough Wind Fairing)
- Liftgates or Ramps
- E-Track & Protective Scuff Liner
- Sidewall Loading Doors
- Swing Rear Doors
- Back Up Camera & Back Up Sonar (Regular, 360)





BODY SIZE	10' SRW	12' SRW	14' SRW	10' DRW	12' DRW	14' DRW	15' DRW	16' DRW	17' DRW
Interior Height	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″	6′ 6″
A. Wheel Base	138"	138"	156"	138"	138"	156"	156"	178"	178″
B. Body Height	120"	120"	120"	120"	120"	120"	120"	120"	120"
C. Truck Length	19′ 6.5″	21′ 6.5″	23′ 6.5″	19′ 6.5″	21′ 6.5″	23′ 6.5″	24′ 6.5″	25′ 6.5″	26′ 6.5″
D. Overall Body Length	11′	13′	15′	11′	13′	15′	16′	17′	18′
E. True Body Length	9′ 10″	11′ 10″	13′ 10″	9′ 10″	11′ 10″	13′ 10″	14′ 10″	15′ 10″	16′ 10″
F. Body Width	80″	80"	80"	90″	90"	90″	90″	90"	90″
G. Load Width	76.25"	76.25"	76.25"	86.25"	86.25"	86.25"	86.25"	86.25"	86.25"
H. Door Opening Width	71"	71″	71"	82"	82"	82"	82"	82"	82"
I. Door Opening Height	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"	72.5"
J. Ground to Bumper	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
K. Ground to Floor	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5″
L. Bumper to Floor	18.125"	18.125"	18.125"	18.125"	18.125"	18.125"	18.125"	18.125"	18.125"

ROCKPORT PARCELPORT



MAXIMIZED SPACE AND EASY ACCESS WITH LOWERED REAR DECK

Designed with direct input from the industry, the Parcelport is built for seamless parcel delivery. Standout features include a translucent roof for enhanced interior lighting, versatile side and rear door options, durable rubberized flooring, and an exclusive 29" aluminum rear drop floor, making entry and exit easier than ever.





USABLE LENGTH 14' - 16'





50" WIDTH ROLL UP



PACKAGE DELIVERY

- Side Entry Door (Sliding, Swing)
- Swing Rear Doors
- Shelving or E-Track
- Back Up Camera & Back Up Sonar (Regular, 360)





BODY SIZE	14' SRW	16' SRW
Interior Height	6′ 6″	6′ 6″
A. Wheel Base	158"	176″
B. Body Height	110"	110"
C. Truck Length	24′	26′
D. Overall Body Length	15′	17′
E. True Body Length	14′	16′
F. Body Width	90"	90″
G. Load Width	88.5"	88.5"
H. Door Opening Width	50"	50"
I. Door Opening Height	81.5″	81.5″
J. Ground to Bumper	18.5″	18.5″
K. Ground to Floor	21.5″	21.5″
L. Main Floor	12'	14′
M. Drop Floor	2′ 2″	2′ 2″

READY TO WORK

Since 2002, Rockport Commercial Vehicles has focused on one clear goal — creating superior commercial vehicles. We know one size doesn't fit all, which is why we offer the industry's most extensive selection of chassis and body configurations. Every vehicle is designed with your business in mind, delivering customized solutions that keep you ready to work.









CARGOPORT

WORKPORT

ROCKPORT

PARCELPORT



To learn more about Rockport Commercial Vehicles and our products, and see how Rockport is delivering a higher standard, contact us today.

Call us at (888) 711-1600 or visit rockporttrucks.com



ROCKPORT COMMERCIAL VEHICLE DIVISION
914 County Road 1, Elkhart, IN 46514
193 Industrial Drive, Ocilla, GA 31774
Toll Free: 888-711-1600 Fax: 574-295-3974
www.rockporttrucks.com



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.



All information contained in this brochure is believed to be accurate at the time of publication. However, during any model year, it may be necessary to make changes to the manufacturing process of the units and information in this brochure. Your unit may differ from information in this brochure due to any changes in the manufacturing process and equipment. Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, combinations, materials, equipment and specifications of any model as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the variability of my atterials, combinations, designs, or specifications that are meaningful to your purchase decision. © 2025 Rockport Commercial Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway Company, All Rights Reserved. Forest River, Inc., 02/25