

ROCKPORT

COMMERCIAL VEHICLES



CARGOPORT | WORKPORT | ROCKPORT | TRUCK BODY

ISUZU PRODUCTS



FOREST RIVER
TRUCK

ROCKPORTTRUCKS.COM

ROCKPORT CARGO PORT



LOWEST FLOOR HEIGHT IN THE INDUSTRY

The focus of the Cargoport is a flexible well-constructed box with the lowest entry height, multiple side and rear door configurations, and optional shelving and cargo control packages.



*Image shown with optional doors.



USABLE LENGTH
10' - 16'





FULL WIDTH
ROLL UP



PACKAGE
STORAGE

POPULAR OPTIONS:

- Side Entry Door (*Sliding, Swing*)
- Various Rear Bumper Options
- Swing Rear Doors
- Back Up Camera & Back Up Sonar (*Regular, 360*)
- Shelving or E-Track



NRR HD DIESEL SHOWN 14-FT x 132.5 W/B
NRR HD GASOLINE ALSO AVAILABLE

BODY SIZE	10' DRW	12' DRW	14' DRW	16' DRW
INTERIOR HEIGHT	6' 6"	6' 6"	6' 6"	6' 6"
A. WHEEL BASE	109" (CA 86.5")	109" (CA 86.5")	132.5 (CA 110")	150" (CA 127.5")
B. OVERALL HEIGHT	115.5"	115.5"	115.5"	115.5"
C. OVERALL TRUCK LENGTH	18'	20'	22'	24'
D. BODY LENGTH	10' 6"	12' 6"	14' 6"	16' 6"
E. USABLE BODY LENGTH	10'	12'	14'	16'
F. BODY WIDTH (MINUS MIRRORS)	96"	96"	96"	96"
G. USABLE LOAD WIDTH	95"	95"	95"	95"
H. DOOR OPENING WIDTH	87.25"	87.25"	87.25"	87.25"
I. DOOR OPENING HEIGHT	72.5"	72.5"	72.5"	72.5"
J. GROUND TO BUMPER	22.25"	22.25"	22.25"	22.25"
K. GROUND TO FLOOR	35.75"	35.75"	35.75"	35.75"
L. BUMPER TO FLOOR	13.5"	13.5"	13.5"	13.5"

*** DIMENSIONS ARE CLOSE APPROXIMATES BASED ON PUBLISHED STD CAB NRR CHASSIS DIMENSIONAL INFORMATION

** AVAILABLE ON NPR CHASSIS



WHY CARGOPORT?

- 1 Value Focused:** Offering quality and productivity at a competitive investment.
- 2 Efficiency:** Clean sidewalls and skirting improve aerodynamics for better fuel efficiency and a sleek appearance.
- 3 Clean Exterior:** Smooth sidewalls provide maximum surface area and ease of installing graphics.
- 4 Low Step-In Height:** Reduces fatigue and injuries.
- 5 Customizable:** Multiple cargo control, safety, and productivity options available turn-key.
- 6 Flexible:** Available with multiple side and rear door configurations to best match your needs.
- 7 Replacement Parts:** Factory parts readily available to reduce down time.



WHY WORKPORT?

- 1 Value:** Quality design and workmanship delivered timely.
- 2 Flexibility:** Body compatible with most cab and cutaway chassis manufacturers.
- 3 Customizable:** Available with multiple safety, storage, lighting, and productivity options.
- 4 Work Ready:** Available from factory with optional exterior compartment shelving, bin storage, and drawer packages.
- 5 Roof Access:** Roof storage and access options available.

- 6 Towing:** Multiple rear bumper and hitch options available to suit your towing needs.
- 7 Convenient Accessibility:** Optional key fob activated master locking system available for all exterior body doors.
- 8 Replacement Parts:** Factory parts readily available to minimize down time.

ROCKPORT

WORKPORT




ENCLOSED SERVICE BODY; RUGGED INSIDE AND OUT

A true workshop on wheels with a stand up interior height, heavy duty door hinges, integrated rear access ladders, exterior compartments, and options tailored to fit your needs. Optional compartment power locks keep your equipment secured at the push of a button.



USABLE LENGTH
10' - 16'





70/30 SWING
DOORS



EQUIPMENT
STORAGE

POPULAR OPTIONS:

- Exterior Work Lights
- Strobe Lights
- Interior Adjustable Shelving
- Class III or IV Hitch
- Full Exterior Door Power Locks
- Back Up Camera & Back Up Sonar (Regular, 360)



BODY SIZE	10' DRW	12' DRW	14' DRW	16' DRW
INTERIOR HEIGHT	6' 6"	6' 6"	6' 6"	6' 6"
A. WHEEL BASE	109" (CA 86.5")	109" (CA 86.5")	132.5 (CA 110")	150" (CA 127.5")
B. OVERALL HEIGHT	122.5"	122.5"	122.5"	122.5"
C. OVERALL TRUCK LENGTH	18' 6"	20' 6"	22' 6"	24'6"
D. BODY LENGTH	11'	13'	15'	17'
E. USABLE BODY LENGTH	10'	12'	14'	16'
F. BODY WIDTH (MINUS MIRRORS)	96"	96"	96"	96"
G. COMPARTMENT HEIGHT	42.5"	42.5"	42.5"	42.5"
H. COMPARTMENT DEPTH	20.625"	20.625"	20.625"	20.625"
I. REAR DOOR OPENING WIDTH	47.5"	47.5"	47.5"	47.5"
J. REAR DOOR OPENING HEIGHT	71.5"	71.5"	71.5"	71.5"
K. GROUND TO BUMPER	22.25"	22.25"	22.25"	22.25"
L. GROUND TO FLOOR	35.75"	35.75"	35.75"	35.75"
M. BUMPER TO FLOOR	13.5"	13.5"	13.5"	13.5"

*** DIMENSIONS ARE CLOSE APPROXIMATES BASED ON PUBLISHED STD CAB NRR CHASSIS DIMENSIONAL INFORMATION

** AVAILABLE ON NPR CHASSIS

ROCKPORT

ROCKPORT




QUALITY OPTIONS COME STANDARD

With industry leading innovations built into every Rockport body, we are pushing the bar higher and including features such as Aluminum or FRP construction, Aluminum or Translucent Roofing, and various flooring options including Laminated Hardwood, Extruded Aluminum, Marine Grade Plywood and Steel or Aluminum Treadplate Overlay.



USABLE LENGTH
12' - 22'




FULL WIDTH
ROLL UP



FREIGHT
STORAGE

POPULAR OPTIONS:

- Liftgates or Ramps
- E-Track & Protective Scuff Liner
- Swing Rear Doors
- Back Up Camera & Back Up Sonar (Regular, 360)
- Sidewall Loading Doors



BODY SIZE	12' DRW	14' DRW	16' DRW	18' DRW	20' DRW	22' DRW
INTERIOR HEIGHT	7'	7'	7'	7'	7'	7'
A. WHEEL BASE	109" (CA 86.5")	132.5" (CA 110")	150" (CA 127.8")	150" (CA 127.8")	176" (CA 153.5")	200" (CA 177.5")
B. OVERALL HEIGHT	128"	128"	128"	128"	128"	128"
C. OVERALL TRUCK LENGTH	20' 4"	22' 4"	24' 4"	26' 4"	28' 4"	30' 4"
D. BODY LENGTH	12' 6"	14' 6"	16' 6"	18' 6"	20' 6"	22' 6"
E. USABLE BODY LENGTH	12'	14'	16'	18'	20'	22'
F. BODY WIDTH (MINUS MIRRORS)	96"	96"	96"	96"	96"	96"
G. USABLE LOAD WIDTH	92.25"	92.25"	92.25"	92.25"	92.25"	92.25"
H. DOOR OPENING WIDTH	87.25	87.25	87.25	87.25	87.25	87.25
I. DOOR OPENING HEIGHT	78.5"	78.5"	78.5"	78.5"	78.5"	78.5"
J. GROUND TO BUMPER	24.75"	24.75"	24.75"	24.75"	24.75"	24.75"
K. GROUND TO FLOOR	43"	43"	43"	43"	43"	43"
L. BUMPER TO FLOOR	18.25"	18.25"	18.25"	18.25"	18.25"	18.25"

*** DIMENSIONS ARE CLOSE APPROXIMATES BASED ON PUBLISHED STD CAB NRR CHASSIS DIMENSIONAL INFORMATION

ROCKPORT TRUCK BODY




BUILT TO HANDLE THE TOUGHEST APPLICATIONS

Engineered for demanding applications, the Rockport Truck Body delivers strength and versatility with Aluminum or FRP sidewalls, Aluminum or Translucent roofing, and standard Laminated Hardwood flooring with optional Extruded Aluminum or Steel/Aluminum Treadplate overlays. Built for heavy-duty performance, it is a dependable choice for those who need a rugged, work-ready box.



USABLE LENGTH
16' - 26'



50" WIDTH
ROLL UP



PACKAGE
STORAGE

POPULAR OPTIONS:

- Side Entry Door
(*Sliding, Swing*)
- Swing Rear Doors
- E-Track & Protective Scuff Liners
- Back Up Camera & Back Up Sonar (*Regular, 360*)

The technical drawing illustrates the front and rear profiles of a box truck. The front view shows the front wheel base (A), overall height (B), truck length (C), body length (D), usable body length (E), body width (F), and door opening width (H). The rear view shows the overall height (B), body width (F), door opening height (I), ground to bumper (J), ground to floor (K), and bumper to floor (L).

BODY SIZE	16'	18'	20'	22'	24'	26'
INTERIOR HEIGHT	96"	96"	96"	96"	96"	96"
A. WHEEL BASE	152"	170"	188"	200"	212"	224"
B. OVERALL HEIGHT	12' 3"	12' 3"	12' 3"	12' 3"	12' 3"	12' 3"
C. TRUCK LENGTH	24' 1"	26' 1"	28'1"	30' 1"	32'1"	34'1"
D. BODY LENGTH	16' 6"	18' 6"	20' 6"	22' 6"	24' 6"	26' 6"
E. USABLE BODY LENGTH	16'	18'	20'	22'	24'	26'
F. BODY WIDTH	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
G. LOAD WIDTH (S&P / PLATE)	92.5" / 95"	92.5" / 95"	92.5" / 95"	92.5" / 95"	92.5" / 95"	92.5" / 95"
H. DOOR OPENING WIDTH	87.25"	87.25"	87.25"	87.25"	87.25"	87.25"
I. DOOR OPENING HEIGHT	90.5"	90.5"	90.5"	90.5"	90.5"	90.5"
J. GROUND TO BUMPER	29"	29"	29"	29"	29"	29"
K. GROUND TO FLOOR	51"	51"	51"	51"	51"	51"
L. BUMPER TO FLOOR	22"	22"	22"	22"	22"	22"

*** DIMENSIONS ARE CLOSE APPROXIMATES BASED ON PUBLISHED FTR CHASSIS DIMENSIONAL INFORMATION

READY TO WORK

In 2002, Rockport Commercial Vehicles was founded with the vision to build superior commercial vehicles. We recognize there is no “one size fits all” truck, which is why we have the most extensive selection of chassis and body configurations in the industry. Our goal is to meet the specific needs of all of our customers to ensure you’re ready to work.



CARGOPORT



WORKPORT



ROCKPORT



TRUCK BODY



To learn more about Rockport Commercial Vehicles and our products, and see how Rockport is delivering a higher standard, contact us today.

Call us at (888) 711-1600 or visit rockporttrucks.com

ROCKPORT

ROCKPORT COMMERCIAL VEHICLE DIVISION

914 County Road 1, Elkhart, IN 46514

193 Industrial Drive, Ocilla, GA 31774

Toll Free: 888-711-1600 Fax: 574-295-3974

www.rockporttrucks.com



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.


**FOREST
RIVER**
A Berkshire Hathaway Company

All information contained in this brochure is believed to be accurate at the time of publication. However, during any model year, it may be necessary to make changes to the manufacturing process of the units and information in this brochure. Your unit may differ from the information in this brochure due to any changes in the manufacturing process and equipment. Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, combinations, materials, equipment and specifications of any model as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the availability of any materials, combinations, designs, or specifications that are meaningful to your purchase decision. ©2025 Rockport Commercial Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved. Forest River, Inc. 09/25